

Engineering Specification

Job Name _____

Contractor _____

Job Location _____

Approval _____

Engineer _____

Contractor's P.O. No. _____

Approval _____

Representative _____

SA-Series Heavy Duty Sand and Sediment Interceptor

Specification

Watts SA Series heavy duty epoxy coated steel sand and sediment interceptor with gasketed epoxy coated steel skid-proof cover secured with hex head center bolt(s), internal straining baffles, 2" no hub vents, and 4" no hub (standard) connections.




Call customer service if you need assistance with technical details.

Flow Rate	
Suffix	Description
310	300 GPM
410	400 GPM
510	500 GPM
610	600 GPM
710	700 GPM
810	800 GPM
1010	1000 GPM

Options	
Suffix	Description
-DI	Dual Inlet
-HD	Heavy Duty (10,000 lb.) Traffic Cover*
-FC	Flange w/Membrane Clamp
-O	Inlet & Outlet (other than Standard*)
-SS	Stainless Steel
-THD	Threaded Connections

*HD Option Requires Minimum 3" Extension



Model No.	Wt. (lbs.)	Cubic(ft.)	Length	Width	Height
SA-310	1600	43	60"(1524)	36"(914)	60"(1524)
SA-410	1750	54	72"(1829)	36"(914)	60"(1524)
SA-510	2100	72	96"(2438)	36"(914)	60"(1524)
SA-610	2500	81	108"(2743)	36"(914)	60"(1524)
SA-710	2700	90	120"(3048)	36"(914)	60"(1524)
SA-810	3000	108	144"(3658)	36"(914)	60"(1524)
SA-1010	3640	135	180"(4572)	36"(914)	60"(1524)

NOTICE

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of this product.

Watts product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Watts Technical Service. Watts reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Watts products previously or subsequently sold.



USA: T: (800) 338-2581 • Watts.com

Canada: T: (888) 208-8927 • Watts.ca

Latin America: T: (52) 55-4122-0138 • Watts.com

